

PLENVU 2-DAY SPLIT DOSING COLONOSCOPY PREP

COLONOSCOPY INSTRUCTIONS

CANCELLATIONS UNDER 48 HOURS OR NO SHOWS may result in a FEE or INABILITY TO RESCHEDULE (Please refer to our Financial Policy)

PLEASE READ THESE INSTRUCTIONS CAREFULLYAS SOON AS YOU RECEIVE THEM !!

DATE:

_____ ARRIVAL TIME: _____ PROCEDURE TIME: ____

• The Endoscopy Center of West Central Ohio • 2793 Shawnee Road • Lima, Ohio 45806 • 419-227-0341

ADDITIONAL INSTRUCTIONS:

GENERAL INSTRUCTIONS:

*PLEASE LET US KNOW IF YOU HAVE AN *IMPLANTABLE DEFIBRILLATOR* (A device that will shock the heart if it stops beating)

DO NOT EAT CORN OR POPCORN ONE WEEK BEFORE YOUR PROCEDURE.

• DIABETIC PATIENTS PLEASE FOLLOW THESE GUIDELINES:

Oral Antidiabetic Medication: DO NOT take the <u>day before</u> or <u>day of</u> your procedure. **Insulin:** Day before your exam take ¹/₂ dose in the morning or the afternoon. NO EVENING DOSES of insulin the day before the exam.

• You will need to have a designated driver, WHO REMAINS IN THE FACILITY AT ALL TIMES on the day of the procedure, (not a taxi) as you will be sedated and too sleepy to drive your self home.

• Consider purchasing and preparing items from the clear liquid list ahead of time.

•YOU WILL NEED TO PURCHASE THE FOLLOWING PRESCRIPTION: (1) PLENVU BOWEL PREP KIT

THE DAY BEFORE COLONSCOPY:

Drink ONLY CLEAR LIQUIDS the ENTIRE day prior to your colonoscopy.

- (From the time you wake up until the time you go to bed.)
- DRINK AT LEAST 2 QUARTS OF CLEAR LIQUIDS TODAY.
- Solid foods, Milk, Milk Products are NOT allowed today!

CLEAR LIQUIDS INCLUDE: (NOTHING RED)

•Strained fruit juices, without pulp (apple, white grape, white cranberry)

- Water Iced Popsicles
- Clear broth (Chicken or Beef)
- Gatorade (NO RED) • BLACK COFFEE

PREP TIMES:

- TAKE PLENVU DOSE 1 (MANGO)
 - TIME: 1. Use the mixing container to mix the contents of the Dose 1 pouch with at least 16 oz of
 - water & shake or stir until completely dissolved. Slowly drink Dose1 within 30 minutes.
- 2. Refill the container with at least 16oz of clear liquid. Drink & finish within 30 minutes.
- * WAIT AT LEAST 12 HOURS FROM THE START OF DOSE 1, THEN.....* • TAKE PLENVU DOSE 2 (FRUIT PUNCH) TIME:
- 1. Use the mixing container to mix the contents of Dose 2 (Pouch A & B) with at least 16 oz of water & shake or stir until completely dissolved. Slowly drink Dose 2 within 30 minutes
- 2. Refill the container with at least 16 oz of clear liquid. Drink & finish within 30 minutes.

DAY OF THE COLONOSCOPY

- 4 HOURS BEFORE YOU LEAVE YOUR HOME: Take Heart, Blood Pressure, and/or Seizure Medication (if normally taken in the morning) with a small sip of water.
- NOTHING TO EAT OR DRINK 4 HOURS PRIOR TO THE COLONOSCOPY
- NO CHEWING GUM OR CHEWING TOBACCO on day of colonoscopy.

 Kool Aid & Fruit flavored drinks • Plain Jell-O / nothing added (NO RED) • UNSWEETENED TEA

soft drinks. (7-Up, Sprite, etc.)

· Clear carbonated and non-carbonated